

400 KVA GENERATOR

Towable generators are engineered to handle the most rugged requirements for temporary jobsite power, with technology that responds immediately under variable loads.

Plus, the sound reduction makes them quiet enough to provide power for that all-important special event. Mobile, dependable and easy to operate, towable generators from Portable Air are the right choice for all of your light-duty and medium-duty temporary power needs.

Call us today! (800)341-4297



GENERAL

◆ Make/Model	Multiquip DCA-400SSI
◆ Engine Make/Model	Isuzu 6WG1X
◆ Prime Output	400 KVA (320 KW)
◆ Coolant Capacity	15.85 Gallons
◆ Oil Capacity	14.4 Gallons
◆ Oil Filter #	1132402410, 1132402330 -Isuzu
◆ Cylinders	6
◆ Total Dry Weight	15,922 Pounds
◆ Total Weight with Fuel	19,346 Pounds

FUEL SYSTEM

◆ Fuel Consumption at Full Load	23 GPH
◆ Fuel Capacity with Trailer	479 Gallons
◆ Fuel Filter #	3258, 3740

VOLTAGE

- ◆ 3 Phase (3Ø) 208,220,240,415,440,480V Reconnectable
- ◆ 3 Phase (1Ø) 120,127,139,240,254,277V Adjustable

TRAILER SPECIFICATIONS

◆ Model	TRLR-400XF
◆ Fuel Cell	350 Gallons
◆ Brake System	Electric
◆ GVWR	20,000 Pounds
◆ Frame Length/Width	264"/94"
◆ Hitch Type	3" Pintle Eye




Figure 1. Dimensions




Table 3. Dimensions			
Reference Letter	Dimension in. (mm)	Reference Letter	Dimension in. (mm)
A	17.72 in. (450 mm)	H	23.23 in. (590 mm)
B	35.83 in. (910 mm)	I	35.83 in. (910 mm)
C	23.23 in. (590 mm.)	J	17.72 in. (450 mm)
D	31.89 in. (810 mm)	K	181.10 in. (4,600 mm)
E	18.11 in. (685 mm)	L	82.68 in. (2,100 mm)
F	22.24 in. (565 mm)	M	55.12 in. (1,400 mm)
G	31.89 in. (810 mm)		

400 KVA GENERATOR

